


HiB

MAKING
BATHROOMS
BEAUTIFUL

**Technical Drawing &
FAQ Data Sheets**




Air 40
Air 50
Air 60
Air 120

HiB recommend you receive the product before commencing with installation as all sizes and measurements are approximate.
 HiB try and ensure all measurements are as accurate as possible.
 In the interest of continuous product development, HiB reserves the right to alter specification as necessary. E & OE.

Air 40


Art no. 78730000



HiB recommend you receive the product before commencing with installation as all sizes and measurements are approximate.
 HiB try and ensure all measurements are as accurate as possible.
 In the interest of continuous product development, HiB reserves the right to alter specification as necessary. E & OE.


Air 60

Art no. 78732000




Air 50

Art no. 78731000



Air 120

Art no. 78733000



Electrical Safety Information

HiB recommends that all electrical bathroom products should only be fitted by a suitably qualified, Part P registered electrician in accordance with current IEE regulations.

- Ensure mains power supply is switched off before starting installation.
- Before drilling, ensure there are no hidden cables or pipes in the wall.


Electrical Safety Information

HiB recommends that all electrical bathroom products should only be fitted by a suitably qualified, Part P registered electrician in accordance with current IEE regulations.

- Ensure mains power supply is switched off before starting installation.
- Before drilling, ensure there are no hidden cables or pipes in the wall.

Air

40,50, 60 & 120

		Version No. 10.12.19
	Product	Air 40, Air 50, Air 60 & Air 120
	Art. No.	Air 40: 78730000, Air 50: 78731000, Air 60: 78732000, Air 120: 78733000
	Product Description	LED illuminated mirror.

Question	Answer
Nett weight (kg)	Air 40: 5kg / Air 50: 7kg / Air 60: 9kg / Air 120: 14kg
Light Source	LED
Light Source Average Lifespan	Average: 26,280 hr
Total Rated Wattage (W)	Air 40: 38w / Air 50: 55w / Air 60: 57w / Air 120: 76w
Lumens (Lm)	Air 40: 1050lm / Air 50: 1200lm / Air 60: 1350lm / Air 120: 1800lm
Kelvins (k)	Air 40, 50,60 & 120: 6000K
Is the mirror dimmable?	No
Energy Rating	A
What orientation can the mirror be hung in?	All Air mirrors can be hung landscape or portrait
Is the heated pad only on when the mirror is illuminated?	Yes
Does the mirror require an earth connection?	Yes
Can I bypass the sensor so the mirror comes on with the main room light?	No
Is it cool white or warm white illumination?	Cool White
How long is the warranty?	5 years from date of purchase on silvering coating on mirror 2 years from date of purchase on electrical components in the mirror

Electrical Safety Information

HiB recommends that all electrical bathroom products should only be fitted by a suitably qualified, Part P registered electrician in accordance with current IEE regulations.

Ensure mains power supply is switched off before starting installation.

Before drilling, ensure there are no hidden cables or pipes in the wall.

HiB recommend you receive the product before commencing with installation as all sizes and measurements are approximate.

HiB try and ensure all measurements are as accurate as possible.

In the interest of continuous product development, HiB reserves the right to alter specification as necessary. E & OE.