


HiB

MAKING
BATHROOMS
BEAUTIFUL

**Technical Drawing &
FAQ Data Sheets**



Vapor 50


Vapor 60

Vapor 80

HiB recommend you receive the product before commencing with installation as all sizes and measurements are approximate.
HiB try and ensure all measurements are as accurate as possible.
In the interest of continuous product development, HiB reserves the right to alter specification as necessary. E & OE.


Vapor 50

Art no. 51400



Vapor 60

Art no. 51500



Electrical Safety Information

HiB recommends that all electrical bathroom products should only be fitted by a suitably qualified, Part P registered electrician in accordance with current IEE regulations.


Ensure mains power supply is switched off before starting installation.

Before drilling, ensure there are no hidden cables or pipes in the wall.

HiB recommend you receive the product before commencing with installation as all sizes and measurements are approximate.
 HiB try and ensure all measurements are as accurate as possible.
 In the interest of continuous product development, HiB reserves the right to alter specification as necessary. E & OE.

Vapor 80

Art no. 51600




Electrical Safety Information

HiB recommends that all electrical bathroom products should only be fitted by a suitably qualified, Part P registered electrician in accordance with current IEE regulations.

Ensure mains power supply is switched off before starting installation.

Before drilling, ensure there are no hidden cables or pipes in the wall.

Version No. 05.04.18

	Product	Vapor 50, Vapor 60 & Vapor 80
	Art. No.	Vapor 50: 51400, Vapor 60: 51500 & Vapor 80: 51600
	Product Description	Light up the room with Vapor. As you step in front of the beautifully designed mirrored doors, a proximity sensor activates radiant LED illumination and internal heated pads, which stay on for five minutes after you move away. This means you can light up your mirror, jump in the shower, and come back to mist-free glass. Ambient lighting under the cabinet adds an additional sense of luxury for an atmospheric look and feel.

Question	Answer
Nett weight (kg)	Vapor 50: 12kg / Vapor 60: 14.9kg / Vapor 80: 18.55kg
Light Source	LED
Light Source Average Lifespan	Average: 20,000 hr
Total Rated Wattage (W)	Vapor 50: 56W / Vapor 60: 82W / Vapor 80: 92W
Lumens (Lm)	Vapor 50: 2100lm / Vapor 60: 2400lm / Vapor 80: 3000m
Kelvins (k)	Vapor 50, 60 & 80: 6400k
Is the cabinet dimmable?	No
Energy Rating	Class A
Is the heated pad only on when the cabinet is illuminated?	Yes
Does the cabinet require an earth connection?	Yes
Can I bypass the sensor so the cabinet comes on with the main room light?	No
Is it cool white or warm white illumination?	Cool white illumination only
What IP rating is the cabinet?	All Vapor cabinets are IP44 rated
How long is the warranty?	5 years from date of purchase on silvering coating on mirror 2 years from date of purchase on electrical components in the mirror

Electrical Safety Information

HiB recommends that all electrical bathroom products should only be fitted by a suitably qualified, Part P registered electrician in accordance with current IEE regulations.

Ensure mains power supply is switched off before starting installation.

Before drilling, ensure there are no hidden cables or pipes in the wall.

HiB recommend you receive the product before commencing with installation as all sizes and measurements are approximate.

HiB try and ensure all measurements are as accurate as possible.

In the interest of continuous product development, HiB reserves the right to alter specification as necessary. E & OE.